

A great fit for your workstation



A reliable partner for everyday lifting

A Konecranes electric chain hoist is an ergonomic and efficient lifting partner supporting everyday processes. It can lift up to 5,000 kg and enable fast, smooth and precise movement. We design our hoists to work well with the operator to bring out the best in both.

High quality components

Every product we make represents quality. The motor, brake and gear are designed specifically for lifting purposes and manufactured in-house to ensure high quality from the very beginning

Safety is everything

We continuously improve the safety of our products. For example, the brake and the slipping clutch are designed to prevent the load from dropping or micro-slipping, increasing operator safety. Advanced features such as programmable limit switches, electronic overload protection as well as clutch and brake supervision through pulse sensors are available for SLX.

Top user-experience and performance

Good ergonomics make the hoists safer and easier to use, giving you better work efficiency. A hook block with a solid rubber grip improves both mechanical

function and operator comfort. A compact size of the hoist means better approach dimensions and a more efficient use of space.

Adaptability for industrial applications and demanding workstations

With a wide range of customizable options, advanced features and a choice of lifting speeds, the CLX and SLX electric chain hoists easily adjust to meet the lifting demands of various industries.

Maintenance made easy

Easy serviceability and simple maintenance access mean less downtime. Hoists are equipped with a maintenance-free gearbox and self-adjusting magnetic brake that does not need adjustment over its lifetime. The same components are used in all frame sizes, reducing the number of spare parts required.

Versatile hoists for your lifting needs

CLX electric chain hoist

- 6:1 speed ratio allows fast and precise movement
- Improved safety with hoist limit switch, securing brake, and hook block
- Less stress on the chain with patented chain drive

01 LIFTING CAPACITY UP TO 5,000 KG



SLX electric chain hoist


- Stepless hoisting speeds with inverter for smooth vertical movement
- Extended Speed Range adjusts speed to suit the load for safety, accuracy and easy positioning
- Slack Chain Control and Shock Load Absorption improve safety and usability

02 LIFTING CAPACITY UP TO 2,500 KG



CLX and SLX electric chain hoists facts at glance

| | 02 | 05 | 10 | 16 | 25 |
|---------------------------------|---------|-------------------|-------------------|-------------------|--------------------|
| Min. speed ¹ (m/min) | CLX | CLX & SLX | CLX & SLX | CLX | CLX |
| Max. speed ² (m/min) | 2/1 | 1.3/0.32 | 0.7/0.16 | 0.7 | 0.7 |
| ESR ³ (m/min) | | 20 (up to 250 kg) | 20 (up to 500 kg) | 16 (up to 800 kg) | 20 (up to 1000 kg) |
| C-dimension ⁴ (mm) | 409/461 | 32 445/506 | 32 537/607 | 567/693 | 611/761 |



¹CLX/SLX ²CLX with 50hz ³ESR = Extended speed range for SLX ⁴1-fall / 2-fall with hook suspension (8 m/m)

Benefits of Konecranes electric chain hoists

- Improve operator safety
- Support operators in achieving top performance
- Enable faster work cycles
- Make production processes more efficient

| STANDARD FEATURES | |
|---------------------------|---|
| Lifting capacity | 2500 kg with SLX hoist 5000 kg with CLX hoist |
| Lifting height | hoists with 1 chain fall, 16 m hoists with 2 chain falls, 10 m |
| Hoisting speeds (m/min) | 4 to 20 m/min 16 to 65 fpm |
| Duty class | ED 50%, 300 starts per hour |
| Protection class | IP55 protection against dust and water moisture |
| Ambient temperature range | -20°C to +40°C (-4°F to 144°F) |
| Voltage range | Voltages 208 to 575 in 50 and 60 Hz |
| Control options | Pendant or radio |
| Safety features | Self-locking hook |
| Construction | Robust aluminum frame |



Learn more about Konecranes electric chain hoists: konecranes.com/CLX & SLX



Konecranes is a global leader in material handling solutions, serving a broad range of customers across multiple industries. We consistently set the industry benchmark, from everyday improvements to the breakthroughs at moments that matter most, because we know we can always find a safer, more productive and sustainable way. That's why, with around 16,600 professionals in over 50 countries, Konecranes is trusted every day to lift, handle and move what the world needs. In 2022, Group sales totaled EUR 3.4 billion. Konecranes shares are listed on Nasdaq Helsinki (symbol: KCR).

© 2024 Konecranes. All rights reserved. 'Konecranes,' 'Moves what matters' and  are either registered trademarks or trademarks of Konecranes.

This publication is for general informational purposes only. Konecranes reserves the right at any time, without notice, to alter or discontinue the products and/or specifications referenced herein. This publication creates no warranty on the part of Konecranes, express or implied, including but not limited to any implied warranty or merchantability or fitness for a particular purpose.

KONECRANES Moves what matters.